



CoE 164

Computing Platforms

01c: Rust Functions and Control Statements

STATEMENTS AND EXPRESSIONS

A **statement** performs some action and does not return a value. On the other hand, an **expression** evaluates to return some value.

Note that expressions do not have a semicolon at the end. Statements do.

```
let x = 7; // statement
let y = 2 + 3; // RHS is an expression

let r = {
  let z = x + y;
  z - 2
};
```

VARIABLE SCOPE

Variables have a *lifetime* or **scope** - that is, it is valid only up to a certain point in the program. Usually, a scope is defined within curly braces.

If a variable is defined or "captured" within a scope, it is said to have become *valid*. Conversely, if it goes *out of scope*, it is said to have become *invalid*.

```
{  
  let v = 3; // v is valid here  
  // do something...  
}  
  
// v is no longer valid here
```

VARIABLE SHADOWING

Variables can be **redeclared** later on in the code using the `let` keyword.

On the other hand, variable names can be reused in inner scopes. This *overshadows* any same variable names in outer scopes. When the scope ends, any variable values are reverted to their initial ones before the scope started.

Example

```
let v = 5;
let v = v + 1;

// v = 6
println!("Old v is {v}");

{ // scope start
  let v = v + 3;

  // v = 9
  println!("v inner is {v}");
} // scope end

// v = 6
println!("New v is {v}");
```

FUNCTIONS

A **function** is a subroutine in a program. It can be *called* with some *parameters* to run a certain task or process the parameters in some way.



FUNCTIONS: BASICS

Declare a function by writing the `fn` keyword followed by the name. Contents are placed inside curly braces.

Functions are named using *snake case* - all words should be in *lowercase* and possibly separated by underscores.

```
fn print_hello() {  
    println!("Hello world!");  
}  
  
print_hello();
```

FUNCTIONS: PARAMETERS

Function parameters are defined inside the parentheses after the name. Each parameter should be annotated with a type and each one should be separated with a comma.

```
fn print_pairs(a: i64, b: i64) {  
    println!("{}", {}, a, b);  
}  
  
print_pairs(4, 5);
```

FUNCTIONS: RETURN VALUES

A function can be annotated to return a value by writing an arrow and the data type of the return value after the function signature.

A function can return an explicit value using the `return` keyword, or implicitly return the last expression. Note the lack of semicolon for the implicit return.

```
fn add_me(a: i64, b: i64) -> i64 {  
    return a + b;  
}  
  
fn add_me_v2(a: i64, b: i64) -> i64 {  
    a + b  
}
```


FUNCTIONS: RETURN VALUES

A function can return "multiple data" by returning a tuple with those values.

```
fn add_me(a: i64, b: i64) -> (i64, i64) {  
    return (a + 3, b + 7);  
}
```

FUNCTIONS: MAIN

The main entry point to a Rust program is through a function named `main()`. It does not have any parameters. Compiled executables will start by finding this function and executing statements inside of it.

```
fn main() {  
    println!("Hello world!");  
}
```

FUNCTIONS: NESTED

It is possible to write function definitions within functions. It is usually used when the inner function will not be used anywhere outside of it.

Example

```
fn add_me(a: i64, b: i64) -> (i64, i64)
{
    fn print_first(a: i64) {
        println!("print_first {a}");
    }

    print_first(a);
    print_first(b);

    return (a + 3, b + 7);
}
```

CONTROL STATEMENTS

Rust has the following basic control statements:

- `if/else if` statements
- `loop`, `while`, and `for` loops



CONTROL: IF

Conditional statements in Rust are built using the keywords `if`, `else if`, and `else`.

Any combination of `if`, `if-else if`, and `if-else` statements are valid in Rust.

Example

```
let num = 5;

if num == 3 {
    println!("This is a three");
}
else if num == 5 {
    println!("This is a five");
}
else {
    println!("This is {}", num);
}
```

CONTROL: IF ASSIGNMENT

Conditional statements can return expressions that can consequently be assigned to a variable. Note that each block should *implicitly* return some value and all condition cases are enumerated.

Example

```
let num = 3;

let z = if num == 3 {
  "three"
}
else if num == 5 {
  "five"
}
else {
  "unknown"
};
```



CONTROL: INFINITE LOOP

A group of statements can be set to run infinitely many times by encapsulating them in a `loop` block.

```
// Print forever
loop {
  println!("hello!");
}
```

CONTROL: LOOP BREAKS

We can break out of a loop using the `break` keyword.

We can skip execution of the rest of the loop and restart it from the top using the `continue` keyword.

Example

```
let mut z = 0;

loop {
  if z > 3 {
    break;
  }

  z += 1;

  if z % 2 == 0 {
    continue;
  }

  println!("hi! {z}");
}
```


CONTROL: LOOP ASSIGNMENT

A loop block can return expressions that can consequently be assigned to a variable. Note that the loop *should* terminate and its return value provided as a `break` statement.

Example

```
let mut i = 0;
let n = 5;
let z = loop {
    i += 1;

    if i >= n {
        break i;
    }
};
```

CONTROL: LOOP LABELS

We can label loops by specifying a *loop label*. The label is placed beside the `loop` keyword.

We can `break` or `continue` relative to that loop label by writing the label name after the relevant keyword.

Example

```
let n = 3;
let m = 5;
let mut ans = 0;

'out: loop {
  loop {
    ans += m * n;

    if ans > 1000 {
      break 'out;
    }

    continue;
  }

  m += 1;
}
```

CONTROL: WHILE LOOP

A `while` loop can be used if looping through a statement while checking whether a certain condition holds is needed.

```
let mut z = 0;

while z <= 3 {
    z += 1;
    println!("hi! {z}");
}
```

CONTROL: FOR LOOP

A `for` loop can be used if there is a collection of data with a fixed size to iterate through.

We can loop through a range of integers by using two dots (`..`) in between the two ends of the range. The end range is *not* included in the loop.

Example

```
let a = [7, 1, 3];
let mut ans = 0;

for each_elm in a {
    ans += each_elm;
}

let n = 5;
let mut tri_num = 0;

for i in 0..n {
    tri_num += i;
}
```

CONTROL: RANGES

A range is denoted by a start and end points with two dots (. .) in between. In this case, the end point is *not* included in the range.

For a range to include the end point, an equal sign (. .=) should be placed after the two dots.

```
let r = 3;
let x = 0..10; // 0 to 9 inclusive
let z = 0..=r; // 0 to 3 inclusive
let stwo = (12..24).step_by(2); // skip by 2
let revved = (0..5).rev(); // 4 to 0 inclusive
```

CONTROL: RANGES

Ranges can omit the start and end points. However, only ranges that have a starting point can be used in for loops.

Example

```
for x in 0..5 {  
    println!("{x}");  
}  
  
for x in 3.. {  
    println!("{x}");  
  
    if x >= 10 {  
        break;  
    }  
}  
  
// Compile error!  
for x in ..5 {  
    break;  
}
```

RESOURCES

- [The Rust Book](#)



CoE 164

Computing Platforms

01c: Rust Control Statements and Functions